



# मोतीलाल नेहरू कॉलेज Motilal Nehru College

(दिल्ली विश्वविद्यालय)  
(University of Delhi)



संदर्भ : एमएनसी/बीजेएम  
Ref. : MNC/BJM/

Dated: 16.06.2023

## TENDER NOTICE

Sealed tender are invited for preparation of Stage in playground area in Motilal Nehru College. The Scope of work for the same in prescribed format is attached herewith. Interested firms/companies may fill the prescribe format and should reach the college latest by 30.06.2023 by 12.00 noon.

On the top of the envelope, it should be written:

**“ Tender for preparation of Stage in playground area”**

The envelope should be addressed to:

**The Principal, Motilal Nehru College, Benito Juarez Marg, New Delhi: 110021**

**Bidders should enclosed the following documents with the tender:-**

1. Firm/company registration certificate.
2. Experience certificates/work completion/work order etc. of last three years only.
3. Prescribe format duly completed in all respect.
4. Bank details.
5. GESTIN as applicable.
6. 2% earnest money be deposited with the tender through Demand Draft in favour of Principal, Motilal Nehru College.

**Term and conditions:-**

1. Warranty period will be 5 years, for any wear and tear. Contractor will provide its services without any charges.
2. Completion of work shall be 30 days from the date of receipt of order.
3. Corrigendum/addendum, if any, will be posted on college website well in time.

*Yogeshwar Sharma*  
16/6/2023  
Acting Principal

**MOTILAL NEHRU COLLEGE: BENITO JUAREZ MARG: NEW DELHI : 110021**

**TENDER OF STAGE CONSTRUCTION WORK AT MOTILAL NEHRU COLLEGE GROUND**

S No	Work Description	Unit	Quantity	Rate	Amount
	<b>Stage Construction Civil Work</b>				
1	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.				
1.1	Hard rock (blasting prohibited)	Cub Mtr	50		
2	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : 6.4.1 Cement mortar 1:4 (1 cement : 4 coarse sand) cum 7809.25				
2.1	Cement mortar 1:4 (1 cement : 4 coarse sand)	Cub. Mtr	55		
3	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement : 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size)	Cub. Mtr	15		
4	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Mild steel and Medium Tensile steel bars	KG	2000		
5	12 mm cement plaster of mix : (1 cement : 8 coarse sand)	Sqr Mtr.	60		
6	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing, molding and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand)				
6.1	25 mm thick	Sqr. Mtr	290		
7	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :	Cub Mtr.	30		
8	<b>MS Shade Work</b>				
8.1	Steel work in built up tubular (round, square or	KG	3200		





	rectangular hollow tubes etc., MS angle, MS Plate) trusses etc., including cutting, hoisting, Half round turning , fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
8.2	Providing and fixing pre-coated galvanised steel sheet roofing accessories 0.50 mm (+ 0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete	Sqr Mtr	250		
8.3	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	Sqr Mtr	250		
9	<b>Electrical Work</b>				
9.1	Supplying and fixing of 25mm sizes of best quality PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.	Mtr.	100		
9.2	Supplying and drawing .75 / 1.5 / 2.5 mm size ( Multi stand) of FRLS PVC insulated copper conductor, single core cable in the existing surface/recessed steel/ PVC conduit as required.( Branded)	Mtr.	150		
9.3	Supplying and fixing two way, horizontal/vertical type 2 pole, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, earth bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/ Isolator)(Branded) for street Lights.	Each	6		
9.4	Supplying and fixing 32 to 63 A rating, 240V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of double poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. ( Branded )	Each	6		
9.5	Providing and fixing 4 way, horizontal/vertical type 8 pole, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, earth bar, interconnections, powder painted including earthing etc. as required. (with MCB/RCCB/ Isolator/TPN)(Branded) for street for controlling the all electrical system of Stage.	Each	1		
9.6	Providing and Fixing 4 Core 50 mm Aluminium armoured cable Havells brand with all heavy duty fixing material including digging, cutting of wall & re- fixing, fixing with Clips & Thimbles.	Mtr	135		
9.7	Providing and Fixing 2 Core 25 mm Aluminium armoured cable Havells brand with all heavy duty fixing material including digging, cutting of wall & re- fixing, fixing with Clips & Thimbles.	Mtr	125		



9.8	Providing and fixing of 150 Watt LED Havels Flood Light (Jeta Model) with 2.5 mm copper wire.	Each	4		
10	<b>Green Room Construction Work</b>				
	Construction of Green Room (Size 20 Ft.(L) x 12 Ft.(W) x 8 + 3.5 Ft.(H)) including all foundation work. Civil structure of room to have 4 Nos 230 x 230 mm RCC pillars and Tie beam with adequate reinforcement, infill walls from 230mm thick 1 <sup>st</sup> class brick work ,12 mm plaster work on interior and exterior walls and ceilings, vitrified tiles flooring, Aluminum windows on one wall (4 Ft. x 3 Ft.) and 1 flush door and MS Chikhat of (50mmx50mmx6mm) with all fittings locks etc. 100 mm thick RCC roof slab with water proofing. Roof Slab , Interior and Exterior synthetic paint work over base of 2 mm wall putty. Electrical works inclusive of conduit, all wiring and provision and installation of switches for fan, regulator, 3 Nos. light socket and 2 Nos. power sockets (Havells Reo make), 4 Nos LED tube light (Havells Make) complete in all respect.	Sqr Mtr.	24		
	Total				



*Kapshwan Sharma*  
16/6/2023

कार्यवाहक प्राधानाचार्य  
Actng Principal  
मोतीलाल नेहरू महाविद्यालय  
Motilal Nehru College  
(दिल्ली विश्वविद्यालय)  
(University of Delhi)  
बेनितो हुआरेज मार्ग  
Benito Juarez Marg  
नई दिल्ली-110021  
New Delhi-110021